Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6839819".pn. and (stor$4 near3 MIM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:32
S1	114	(restor$4 or recover$4) same (interactiv$4 or iterativ$4) same (journal$3 or log or logging or delta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:14
S2	3	S1 same journal same (pior or before) same after	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:49
S3	40112	(save or journal or log) same prior	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:15
S4	13438	(save or journal or log) same prior same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:15
S5	7243	before same after same (journal or log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:16
S6	339	S5 and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:20
S7	51	S6 and iterative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:16
S8	69	S5 same snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:25
S9	16	S8 same (restore or recover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:20
S10	53	S8 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:25
S11	52	S10 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:39
S12	462	(journal near3 before) and (journal nera3 after)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:39
S13	462	(journal near3 before) same (journal nera3 after)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:40
S14	27	(journal near3 before) same (journal nera3 after) same write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:52
S15	1	journal near3 (prior or before) near3 ((change or edit or preced$4) same journal near3 (after) same journal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 17:00
S16	1	journal near3 (prior or before) near3 ((change or edit or preced$4) and journal near3 (after) same journal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 17:00
S17	1	(journal or log) near3 (prior or before) near3 ((change or edit or preced$4) same (journal or log) near3 (after) same (journal or log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:00
S18	0	(creat near3 journal) same (before near3 (edit or update)) same (after near3 (edit or update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 17:01
S19	0	(create near3 journal) same (before near3 (edit or update)) same (after near3 (edit or update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 17:02

S20	7	(create near3 journal) and (before near3 (edit or update)) and (after near3 (edit or update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:50
S21	117	journal same data same (prior or before) same before same write	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 14:51
S22	233	journal same original near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 15:00
S23	41	journal near8 (original near3 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:01
S24	94	(journal near3 reads) and (journal near3 writes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:02
S25	54	(journal near3 reads) same (journal near3 writes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:03
S26	0	journal same orginal same prior same update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:04
S27	0	journal same orginal same before same update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:04
S28	0	journal same orginal same before same recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:04
S29	0	journal same orginal same before same restore	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:04
S30	13176	(journal or log or delta) same (store or save or record or track or keep) same (original or earl$4 or first or initial or maiden or pioneer or primary or prime or primordial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 16:59
S31	1968	(journal or log or delta) same (store or save or record or track or keep) same (original or earl$4 or first or initial or maiden or pioneer or primary or prime or primordial) same (target ajd location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 16:59
S32	4	S31 and (journal near10 (target adj location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 17:05
S33	17	save same (current ajd state) same before same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 11:33
S34	514	save same (current ajd state) same before same (restore)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 17:06
S35	28	appl$4 same journal same snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:31
S36	2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:36
S37	2	"20030135704".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:32
S38	2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 13:37
S39	2	"6732125".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:15

S40	2	"20040133575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:03
S41	2	"6158019".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:03
S42	0	"6158019".pn. and "5086502.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:03
S43	2	"6158019".pn. or "5086502.pn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:04
S44	2	"6158019".pn. or "5086502.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:04
S45	0	"5086502.pn."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:22
S46	0	(select near3 journal) same (updat$4 or appl$4 or merg$4) near3 (snapshot or (data adj image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:23
S47	0	(select near3 journal) same ((updat$4 or appl$4 or merg$4) near3 (snapshot or (data adj image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:23
S48	0	(choose near3 journal) same ((updat$4 or appl$4 or merg$4) near3 (snapshot or (data adj image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:23
S49	7	((choos$4 or select$4) near3 (journal or log or delta)) same ((updat$4 or appl$4 or merg$4) near3 (snapshot or (data adj image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:25
S50	45	((choos$4 or select$4) near3 (journal or log or delta)) and ((updat$4 or appl$4 or merg$4) near3 (snapshot or (data adj image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:33
S51	694	(user or client) near3 (select or choose or pick) near3 (journal or log or delta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:34
S52	31	S51 and snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:34
S53	31	S52 not S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:35
S54	1	(rollback or restore or recover) same journal same (previous near3 entry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:36
S55	5	(rollback or restore or recover) same (journal or log or delta) same (previous near3 entry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:36
S56	2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:27
S57	1	S56 and extents	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:29
S58	2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 12:29
S59	1	S58 and (backward near3 stor$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:45

S60	2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 14:45
S61	1	S60 and (request$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:12
S62	2	S60 and (time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:14
S63	0	(S60 and (time)) same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:14
S64	0	(S60 and (time)) same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:14
S65	0	(S60 and (time)) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:17
S66	1	S60 and chronological	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:18
S67	1	S60 and chrono$15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:31
S68	1	appl$3 near3 journal near3 entr$3 near3 ((chrono$10 or (increas$4 near3 order near3 time))).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:32
S69	9	journal near3 entr$3 near3 ((chrono$10 or (increas$4 near3 order near3 time))) .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:33
S70	697	indicat$4 same (recov$4 or restor$4) same mode same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:11
S71	321	S70 same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:10
S72	17	S71 and journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:11
S73	43	S71 and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:09
S74	3	S70 same time same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:11
S75	1833	indicat$4 same (recov$4 or restor$4) same user same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:11
S76	144	S75 and journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:14
S77	1	"20040193945" and indicat$4 same (recov$4 or restor$4) same user same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:31
S78	7	interface same (recov$4 or restor$4) same user same time same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:32
S79	422	(interface same (recov$4 or restor$4) same user same time) and (journal or log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:32

S80	64	(interface same select same (recov$4 or restor$4) same user same time) and (journal or log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:36
S81	0	("2004/0193945").URPN.	USPAT	OR	OFF	2005/12/17 17:33
S82	28	(interface same select same (recov$4 or restor$4) same user same time same (journal or log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:37
S83	1307	((user near3 indicat$5) nea3 time) and (user same journal) and (recov$5 or restor$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:39
S84	276	S83 and (graphical adj user adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:46
S85	12	interface same select$4 same (restor$4 or recov$4) same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:47
S86	0	GUI same select$4 same (restor$4 or recov$4) same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:47
S87	518	select$4 same (restor$4 or recov$4) same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:47
S88	31	select$4 same (restor$4 or recov$4) same journal same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:49
S89	331	(select$4 same journal same user) and (restor$4 or recov$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:50
S90	8	(select$4 same journal same user) and ((restor$4 or recov$4) near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:51
S91	2	(select$4 same journal same user) and ((restor$4 or recov$4) near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:52
S92	2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:53
S93	1	"6839819".pn. and (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 18:03
S94	2	"6839819".pn. and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:32